


**NOTES:**

1. COMPACTED BEDDING MATERIAL SHALL NORMALLY CONSIST OF BEDDING SAND.
2. IF APPROVED BY CITY ENGINEER, 3/4" DRAIN ROCK MAY BE USED FOR BEDDING MATERIAL AND SHALL BE WRAPPED IN APPROVED FILTER FABRIC (SEE HEBER CITY SPECIFICATION 02772.2.02), UNLESS OTHERWISE APPROVED.
3. MATERIALS, METHOD & COMPACTION SHALL BE APPROVED BY ENGINEER.
4. USE OF PEA GRAVEL OR COURSE SAND FOR BEDDING MATERIAL IS PROHIBITED UNLESS OTHERWISE APPROVED BY THE CITY ENGINEER.
5. USE OF NATIVE MATERIAL FOR BACKFILL IS PROHIBITED (EXCEPT AS APPROVED BY THE CITY ENGINEER WITH FULL TIME TESTING AND INSPECTION).
6. USE PROPER MARKER TAPE AS APPROVED BY CITY ENGINEER.
7. INSTALL TRACER WIRE AS PER WATER-5.
8. FLOWABLE FILL IS PROHIBITED AS BACKFILL MATERIAL UNLESS OTHERWISE APPROVED BY CITY ENGINEER. WHEN APPROVED, SURFACE FINISHES MUST STILL BE MATCHED.

**UTILITY INSTALLATION TRENCH DETAIL**

|  |           |
|--|-----------|
| DATE:  | JUNE 2021 |
| SCALE:   | N.T.S.    |
| 75 NORTH MAIN STREET<br>HEBER CITY, UTAH 84032<br>(435) 654-0757 |           |



**HEBER CITY**

UTILITIES-1